L Number	Hits	Search Text	DB	Time stamp
21	190	calibrat$3 adj1 slide	USPAT; US-PGPUB	2003/12/04 13:13
22	166	((calibrat$3 adj1 slide) and (@ad<=20000127 or @rlad<=20000127))	USPAT; US-PGPUB	2003/12/04 13:16
23	124	((calibration adj1 slide) and (@ad<=20000127 or @rlad<=20000127))	USPAT; US-PGPUB	2003/12/04 13:23
24	7	(((calibration adj1 slide) with (mov$3 or shift$3 or advanc$3 or travers$3)) and (@ad<=20000127 or @rlad<=20000127))	USPAT; US-PGPUB	2003/12/04 14:13
25	38	(((substrate adj1 slide) with (mov$3 or shift$3 or advanc$3 or travers$3)) and (@ad<=20000127 or @rlad<=20000127))	USPAT; US-PGPUB	2003/12/04 14:15
27	38	((("substrate slide") with (mov$3 or shift$3 or advanc$3 or travers$3)) and (@ad<=20000127 or @rlad<=20000127))	USPAT; US-PGPUB	2003/12/04 14:55

Text Search in East looking for the idea of a calibration slide or a substrate slide

C:\APPS\EAST\Workspaces\brown.wsp

L Number	Hits	Search Text	DB	Time stamp
10	1	"5778044".PN.	USPAT	2003/12/04 09:19
11	10	5778044.URPN.	USPAT	2003/12/04 09:19
14	16	((flat adj1 field) near3 calibrat$3)	USPAT	2003/12/04 11:23

text search in East to see if the idea of "flat-field calibration" is a common term of the art.

L Number	Hits	Search Text	DB	Time stamp
10	1	"5778044".PN.	USPAT	2003/12/04 09:19
11	10	5778044.URPN.	USPAT	2003/12/04 09:19

Backward & Forward citation on one of the IDS

Patents..

C:\APPS\EAST\Workspaces\brown.wsp